रिकस्टी सं॰ डी- 222

DUR



प्राधिकार से प्रकाशित PUBLISHED BY AUTHORITY

सं० 15]

नई विक्ली, रानिवार, अप्रैल 14, 1973 (जैल 24, 1895)

No. 15]

NEW DELHI, SATURDAY, APRIL 14, 1973 (CHAITRA 24, 1895)

इस माग में भिन्न पृष्ठ संस्था दी जाती है जिससे कि यह अलग संकलन के रूप में रखा जा सके (Separate paging is given to this Part in order that it may be filed as a separate compilation)

भाग गा—खण्ड 2

PART III—SECTION 2

पेटेन्ट कार्यालय द्वारा जारी की गई पेटेन्टों और दिवाइमों से सम्बन्धित अधिसूचनाएं और नोटिस Notifications and Notices issued by the Patent Office relating to Patents and Designs

THE PATENT OFFICE

Patents and Designs

Calcutta, the 14th April 1973

SPECIAL NOTICE

The undermentioned publications which have hitherto been on sale with the In-charge, Government of India Book Depot, 8, Kiran Shankar Roy Road, Calcutta-1 have been transferred to the Patent Office, 214, Acharya Jagadish Bose Road, Calcutta-17. and copies thereof will henceforth be sold by the Patent Office:—

Printed patent specification Nos. 85001 to 95000.

2. Copies of the printed patent specification Nos. 1 to 85000 will continue to be sold by the Patent Office as before

The dates shown in crescent brackets are the dates claimed under Section 135 of the Act.

Application for Patents filed at the Head Office

The 24th March 1973

- 661/Cal/73. L. C. Misra and Dr. B. B. Khanna. Process for the preparation of a superior bleached lac having very much reduced chlorine and consequently excellent life under heat, flow and keeping quality.
- 662/Cal/73, K. Fujiwara. Improvement in a steam trap of free float type.
- 663/Cal/73. The Lucas Electrical Company Limited, Windscreen wiper drive arrangement. (24th March 1972).
- 664/Cal/73. The Goodyear Tire and Rubber Company. Improvements in and relating to moulded structures. (28th March 1972).

17QI/73

- 665/Cal/73. Ube Industries, Ltd. Improvement in or relating to production of cracked gases from liquid hydrocarbon.
- 666/Cal/73. The Lucas Electrical Company Limited, Electrical switch. (24th March 1971).
- 667/Cal/73. Snam Progetti S.p.A. Process for polymerising a conjugated diene. [Divisional date 15th February 1971].

The 26th March 1973

- 668/Cal/73. Council of Scientific and Industrial Research.

 Process in or relating to the development of flyashsand-lime bricks.
- 669/Cal/73. Council of Scientific and Industrial Research.

 An improved process of dyeing wool, hair bristles, and other keratinous fibres into fast non-bleeding jet-black shade.
- 670/Cal/73. Council of Scientific and Industrial Research.
 A. process and equipment for producing sponge iron.
- 671/Cal/73. Commonwealth Scientific and Industrial Research Organization. Improved method for the manufacture of twisted and plied yarn. (12th April 1972).
- 672/Cal/73. Dr. Karl Thomae Gesellschaft mit beschrankter Haftung. Containers.
- 673/Cal/73. International Promotion and Engineering, S. A. Appratus for producing cold principally for the application of cold by contact on the body of living beings.
- 674/Cal/73. A K. Jain Improvements in or relating to aventurine glasses.

(145)

- 675/Cal/73. Dr. Bisweswar Bag. An improved hydraulic jack.
- 676/Cal/73. Colomer Munmany, S. A. Processing drum for treating hides.
- 677/Cal/73. Continental Gummi-Werke Aktiengesellschaft.

 Apparatus for the production of conveyor belts.
- 678/Cal/73. Continental Gummi-Werke Aktiengesellschaft.

 A process and apparatus for the production of conveyor belts.
- 679/Cal/73. Veb Sachsisches Serumwerk. A process for obtaining cholera inoculants.
- 680/Cal/73. Jean Walterscheld GmbH. Debice for the coupling of a vehicle with an implement
- 681/Cal/73. Susheel Kumar Arya. An electrical actuator.
- 682/Cal/73. Susheel Kumar Arya, Locking mechanism,
- 683/Cal/73. G. Singh. Improvements in or relating to twisted reinforcement rods.
- 684/Cal/73 G. Singh Improvements in or relating to twisted reinforcement rods.
- 685/Cal/73. Vishwakarma (India) Private Limited. Precise engineer's dumpy level "Size 5", (Internal Focussing) "vishvakarma-V3" model.
- 686/Cal/73. V. K. Bhutani. A button fixing device for garments.

27th March 1973

- 687/Cal/73. N. K. Varshney. Automatic multi purpose safety level.
- 688/Cal/73. Omnium De Prospective Industrielle S. A. Apparatus for the irregular local treatment of at least one yarn, moving continuously axially, including a mechanism for driving the yarn to be treated
- 689/Cal/73. Imperial Chemical Industries Limited, Carbonation of ammoniacal sodium chloride brine. (27th March 1072).
- 690/Cal/73. Societe De Vente De L'Aluminium Pechiney. A metal cover for a container under pressure.
- 691/Cal/73. Wasag Chemie GMBH. Procedure for the production of flour-like crude black powder and its further treatment after intermediary processes.
- 692/Cal/73. A. S. Beckley. A motor vehicle bumper. [Divisional date 5th May 1971].
- 693/Cal/73. Insituform (Pipes & Structures) Limited, Pipe lining.
- 694/Cal/73. Aikoh Co., Ltd. Holdings for hot tops for ingot molds.
- 695/Cal/73. Rheinstahl Aktiengesellschaft. A reactor for carrying out catalytic reactions with fixed-bed catalysts.
- 696/Cal/73. Dr. C. Otto & Comp. GmbH. Regeneratively heated coke oven.
- 697/Cal/73. Dr. C. Otto & Comp. GmbH. Regeneratively heated coking oven.
- 698/Cal/73. Dr. |C. Otto & Comp. GmbH. Coke quench tower.

28th March 1973

- 699/Cal/73. M. P. George. Sequence signal for three phase electric supply.
- 700/Cal/73. N. J. Waterbury. Self-adhesive stamp.
- 701/Cal/73. Westinghouse Electric Corporation. Encapsulated solid state electronic devices having a sealed lead-encapsulant interface,

- 702/Cal/73. Ugine Aciers. Improvements in or relating to bearing members and in particular to bearing members composed of low-alloy carbon steel of very high strength.
- 703/Cal/73. Carrier Corporation. Refrigerant flow control valve.
- 704/Cal/73. Georges Henri Salomone. A method of emulsifying petroleum products to form a culture medium which by orientated bis-degradation by the microorganisms would transform into a fertilizer [Divisional date 2nd February 1971].
- 705/Cal/73, General Electric Company. Facilitated transport of hydrogen sulfide.
- 706/Cal/73 Buroughs Corporation. Mounting bracket for display panel.
- 707/Cal/73. Buroughs Corporation. Device for singulating or feeding documents one-at-a-time from a stack.
- 708/Cal/73. Wellman Incandescent Furnace Company Limitcd, Improvements relating to coil annealing furnaces. (6th April 1972)

29th March 1973

- 709/Cal/73. S. Chaudhuri. Improvements in or relating to variable speed electromagnetic clutch or drive
- 710/Cal/73. M/s, Jay Industries. Ignition starter switch assembly with lock 25 amps fiat cars.
- 721/Cal/73, GKN Transmissions Limited, Improvements relating to universal joints. (30th March 1972).
- 712/Cal/73. Uss Engineers and Consultants, Inc. Operating mechanism for slidable gates.
- 713/Cal/73. ICI Australia I imited. Process. (4th April 1972).
- 714/Cal/73. Bunker Ramo Corporation. Electrical feedthrough assemblies for containment structures having specially controlled environments and method of making.
- 715/Cal/73. N. J. Waterbury. Self-adhesive stamp,
- 716/Cal/73 P. A Sheyinov Chuck for miniature cylindrical parts.
- 717/Cal/73. Texaco Development Corporation. Process and composition for inhibiting scale deposition.
- 718/Cal/73. Johns-Manville Corporation. A method and assembly for forming the sell end of a bell and spigot joint.
- 719/Cal/73, Erling Berner. Air curtain device.
- 720/Cal/73. Sobin Chlor-Alkali, Inc. Process and apparatus for removing mercury from waste water.

Application for Patents Filed at Patent Office (Bombay Branch)

20th March 1973

- 99/Bom/73. S. L. Munver, N. R. Shah and J. D. Vikamsey. New type of a 3 position polarised relay for use in signalling and other applications.
- 100/Bom/73. B. Y. Nimbalkar and V. R. Sherekar, Main switch.
- 101/Bom/73. Dr. D. G. Takte. A method to affect relief from the cancer of the type of the lip and the skin (patches) in the case of a human patient with the help of enzymes such as amylases and phosphorylases.
- 102/Bom/73. Dr. D G. Takte A method to detect the cancer affected skin with the help of an ointment.

22nd March 1973

- 103/Bom/73. P. V. Dabholkar. Chemically inert stainless steel wire reinforced receivers/receptacles and method of manufacturing same.
- 104/Bom,/73. D. K. Patel and Dr. C. B. Patel Improvements in or relating to solid state television receiver.

23rd March 1973

- 105/Bom/73. A. N. Aria and N. F. Rangoonwala. A efficiency meter for weaving machine and all production machine.
- 106/Bom/73. A. N. Aria and N. F. Rangoonwala. A new universal auto lettise for tobbies.
- 107/Bom/73. V. J. Shah. Improvements in or relating to automatic device for cleaning and degreasing of metals.

Application for Patents Filed at Patent Office (Madras Branch)

21st March 1973

39/Mas/73. S. Parthasarathy. Improvements in or relating to glass containers,

23rd March 1973

40/Mas/73. P. Vachani, Improvements in or relating to air-classifiers or the like.

Complete Specifications Accepted

Notice is hereby given that all persons interested in opposing the grant of patents on any of the applications concerned, may at any time within four months of the date of this Gazette of India or within such further period not exceeding one month applied for in Form 14 of the Patents Rules, 1972, before the expiry of the said period of four months give notice to the Controller of Patents in the prescribed Form 15 of the Patents Rules, 1972, of such opposition. The written statement of opposition should be filed along with the said notice or within one month of its date as prescribed in Rule 36 of the Patents Rules, 1972.

A limited number of printed copies of the specification in the following list will be available for sale from the Government of India Book Depot, 8, Kiron Shankar Roy Road, Calcutta, in due course. The price of each specification is Rs. 2/- (Postage extra, if sent out of India). Requisition for the supply of the printed specifications should be accompanied by the number of the specifications as shown in the following list

The required typed copies of the specifications together with copies of the drawings if any can be supplied by Patents Office on Payment of the necessary charges which may be ascertained on application to this office.

89436. Chinoin Gyogyszer-es Vegyeszeti Termekek Gyara RT.

Method for the preparation of new propylamine derivatives

Process for the preparation of propylamine derivatives which comprises condensating and reducing amines with appropriate ketones and converting the compounds to their salts if desired.

108808. Gruppo J.epetit S.p.A. formerly known as Lepetit S.p.A. New steroids.

Contacting a steriod-oxazoline with N-bromoacetamide in the presence of perchloric acid in an inert organic solvent.

112868. Boehringer Ingelheim GmbH. Process for the production of 2-arylamino-1, 3-diazacycloalkenes-(2).

An arylisocyanide dichloride is reacted with a bifunctional amine,

112907. Lepetit S.p.A. Process for preparing thioderivatives of rifamycin sv. (25th October 1966).

Mercapto ethylamine hydrochloride is treated with rifamycins,

113266. E. Gy. T. Gyogyszervegyeszeti Gyar (formerly known as Egyesult Gyogyszer Es Tapszergyar),
Pharmacologically active new compounds and process for preparing same.

Process for preparing the new 0, 0'disubstituted derivative of di-isoengenol in which di-isoengenol is reacted with an appropriate alkylene chloride in the presence of an acid binding agent.

115285. Pfizer Inc., formerly known as Chas, Pfizer & Co., Inc. Pyrimidobenzothiazines. (30th October 1967).

Comprises reacting a 4-anilinouracilwith thiowyl chloride.

122465. Dr. Karl Thomae GmbH. Process for production of indo lines,

Comprises reducing a Pseudo indole and separating the formed Cis—and transforms and if necessary the optically active compounds are isolated.

127619. Pfizer Inc. Esters pf ∝-carboxyarylmethyl penicillins.

By acylation of 6 aminopenicillanic acid or an alkali metal salt thereof with an arylmalonic acid.

128612. Merck Patent Gesellschaft mit beschrankter Haftung.
Process for preparation of mica based lustrous pigments.

Adding to an aqueous suspension of mico flakes, at a temperature between 50° to 100°C and a PH between 0.5 and 5.0 (a) an aqueous melt salt solution containing titanium and/or zirconium as well as at least one further coloured metal salt (b) an aqueous solution of titanium and/or zirconium salt with a free acid content and (c) an alkali metal or ammonium hydroxide solution.

129416. Laboratorio Di Richerche Tecnologiche S.p.A. Process for the production of feed for ruminants.

Characterized by interposing a nutriting mixture between super imposed cellulosic sheets, corrugating at least one sheet in transversal direction and cutting said sheets along each corrugation.

130026. Nippon Kokan Kabushiki Kaisha. A method of drying treatment for coals.

Characterised by floating coals of less than 3 mm diameter on drying hot current mixed with combustion waste gas having a temperature of 250°C.

130117. Imperial Chemical Industries Limited A composition comprising a powder normally, causing collapse of foams and a partially hydrophobic surface treated powdered silica. (16th February 1970).

Comprising a powder normally causing collapse of foam and a partially hydrophobic surface treated powdered silica having a surface area of at 10 square meters per gram.

130236. Aktiebolaget Bofors. A device for a sight for a field artillery gun.

Comprising gimbal suspension mounted parallel to the axis of barrel, a control member connected to sight and following traversing movement of the barrel and being imparted corresponding relative counter-rotation in relation to traversing movement, adjustable connection means between control member and sight for setting sight harizontal independent of inclination of pivot shaft suspension.

130335. Mefina S. A. Sewing machine presser foot,

Characterised in that means for coupling sole to pressure bar comprises a clamping member and an intermediate member comprising means permitting work feed dog to move the sole in the work feeding direction and for restores the same in a normal central position.

130409. G. Robertson, K. Robertson, R. Robertson and W. B. Dolby. Pedestrian-controlled transport carriage. (30th April 1970).

Comprises a ground traversing endless track means with a drive unit, a load carrying means and control means for actuating the carriage.

130667. Harbans Lal Malhotra & Sons Private Ltd. Razor blades.

Applying a layer of silicon resin lacquer, curing same, stropping the cutting edges, applying thereafter a coating of polytetra fluoroethylene, and finally sintering the blades to a temperature between 385 to 450°C.

130824. Sumitomo Electric Industries, Ltd. Insulated cable having outer semiconductive Jayer.

The outer semiconductive layer is a mixture of 90.—10% by weight at an ethylene vinyl acetate vinyl chloride terpolymer with 10—90% by weight of ethylene vinyl acetate copolymer having 15—55% by weight of vinyl acetate content or cross linking agent and further a conductivity importing agent such as carbon black.

131185. Institutul DeCercetari Pentru Chimizarea Petrolului "Petrochim". Process for preparing high porosity catalysts for the dehydrogenations of hyrooarbons.

Characterized by adding to the catalyst, before extrusion bead shaped or extruded polystyrene of 0.1 to 0.6 mm in proportion of 5 to 30% by weight of the final catalyst,

131402, Triplex Safety Glass Company Limited. A method of reactively coating a conductive metal oxide on a substrate surface by sputtering. (20-5-70).

Supporting the substrate in a vacuum chamber with its surface to be coated opposite a metal cathode whose oxide is to be sputtered, establishing an atmosphere of oxygen and another gas or gases, heating the surface and maintaining it at a selected temperature and establishing a selected potential between the cathode and the substrate.

131596. Hindustan Lever Limited, Treatment of cold water insoluble tea extract.

Comprises oxidising an aqueous dispersion of the cold water insoluble tea solids by molecular oxygen and treating the resulting solutions with a sulphur compound,

131685. Council of Scientific and Industrial Research. An improved proved method relating to the extraction of nickel and cobalt values from oxidised (lateritic) ores.

Process for the extraction of nickel and cobalt values from their oxidised ores which consists of reacting the ore in contact with ammonium chloride at a temperature ranging from 190° to 500°C followed by leaching of soluble chlorides of nickel and cobalt.

131698. Matsushita Electric Industrial Co., Ltd. Dry Cell,

Characterized by a first insulating ring and second insulating ring mounted at a sealing portion on the cathode side, having on each upper and lower side of its rim a protrusion and a second insulating ring mounted at a sealing portion on the anode side and having a protrusion on the lower side of its rim, the upper end of the outer jacket is folded on the protrusion formed on the upper side of rim of first ring, the lower end of the outer jecket is folded on the protrusion formed on the lower side of the rim of the second ring.

132626. M. G. Koblents, G. F. Mitskevich, E. J. Polovets, and A. F. Zhevngo. Reed switch.

Comprising at least two contact members of which one ferromagnetic structure within sealed vessel, one wound member first and second solid current lead, but end forming an operative air gap flexible cable.

132943. Universal Oil Products Company. Process for separating paraxylene from a mixture of Cg hydrocarbons.

In the separation by crystalline alumino silicate adsorbent the improvement comprises in using desorbent containing pa a diethylbenzene which if not pure may contain a suitable hydrocarbon or mixture of suitable hydrocarbons,

133130. A. I. Lugovoi, G. A. Kharatian and B. I. Izraelson. A vacuum arc furnace.

Comprising a melting chaber a first mould with a movable base plate butting against it, a swinging ingot withdrawal gear and a second mould with stationary base plate interchangeable with the first mould.

133700. Council of Scientific and Industrial Research. Improvements in or relating to the production of high hardness steels.

Heat treating steel of composition-C-.02.05%, Ti-3-5%, Si-0.5-4%, Mn-.5 to 5%, A1-.5 to 1%, Fe below, to a solution treatment at 1200-1250°C, and then precipitation hardening the same.

1340230. Industriele Onderneming Wavin N. V. A. pipe connection.

Comprises elastical sealing co-operating with a first pipe part and a wall part surrounding an opening in the arcuate wall of a second pipe part, the sealing is provided with a recess, a helical profile co-operating with an identical screw profile in the first pipe.

134393. Laporte Industries Limite. Improvements in beneficiation of ores. (27th January 1971).

A mixture of the ore and carbon is treated in a fluidised bed reactor with treatment gas comprising chlorine, oxygen, nitrogen and inert gases.

134538. Nestle's Products Limited. An extrusion nozzle and an extrusion device comprising the same.

Comprises an elongate body having a side wall, the side wall having longitudinal slits defining at least two fins the free ends of which are turned inwardly towards the longitudinal axis of the passage,

"135362 (304/72). J. N. Seth. Improvements in relating to overload indicating devices for traction machines or like equipments.

Comprising pulling member surrounded by spring enclosed in housing which is connected to traction machine so that when pulling member is pulled by traction machine cause articulation of indicating needle which moves to a zone marked with caution when load exceeds safe working load.

*The first number shown is the serial number given to the application under Rule 32 of the Patents Rules 1972 on acceptance of the complete specification under which the specification will be printed and Abridgments and all subsequent proceedings will be taken. The second number in the bracket is the corresponding application number.

Opposition Proceedings

(1)

An opposition has been entered by General Engineering Manufacturers & Suppliers to the grant of a patent on application No. 130610 made by Pressure Cookers & Appliances Private Limited.

(2)

An opposition has been entered by General Engineering Manufacturers & Suppliers to the grant of a patent on application No. 130611 made by Pressure Cookers & Appliances Private Ltd.

Patents Sealed

124812 126034 126412 126434 127361 127446 127736 127829 128258 128481 129105 129292 129363.

Registration of Assignments, Licences, etc. (Patents)

Assignments, licences or other transactions effecting the interests of the original patentees have been registered in the following cases. The number of each case is followed by the names of the parties claiming interests:—

92778	M	[/s. Wende	Sidelor.	
97244				
97245				
103067				
103959				
106803				
107829				
109906				
112036				
112160				
112388	a .	NT. 41 -	nal Research	Development
	Secreta	ry, Natio	oration of Indi	
110777		Corp	DIRUGII OL LIKI	a.
112777 113115				
113113				
113777				
117403				
118256				
118477				
118570				
119142				
122114				
79707	N	Aidland—R	oss Corporation	1,

Patents deemed to be endorsed with the words "Licences of Right"

The following patents are deemed to have been endorsed with the words "Licences of right" under Section 87 of the Patents Act, 1970. The dates shown in the crescent brackets are the dates of the patents.

No.	Title of the invention

- 92682 (9-3-64) Water-insoluble monoazo dyestuffs and process for their manufacture.
- 93218 (9-4-64) Compositions having nematocidal properties.
- 93995 (30-5-64) Process for the production of ester amides of carbocyclic aromatic dicarboxylic acids.
- 94689 (13-7-64) Improved pesticidal compositions
- 94703 (14-7-64) Cyclopropanecarboxylic acid esters, process for preparing same and compositions containing such esters.
- 94717 (15-7-64) Compositions and process for treating aqueous fluids.
- 94724 (15-7-64) Method for adding continuously very minute quantity of liquid chemical by a definite amount at a time.
- 94733 (16-8-63) Production of metal complex azo dyestuffs and process of colouring cellulose textile materials therewith and the so coloured materials.
- 94740 (17-7-64) Elector-insulating varnishes and processes for their manufacture.

No.

Title of the invention

- 94760 (18-7-64) Process for the production of substituted comphenyl-aminoanthraquinone dyestuffs, method for dyeing polymeric ester bres therewith and fibres thus dyed.
- 94771 (20-7-64) Purification of aluminium.
- 94776 (10-4-64) Continuous sulfonation process,
- 94779 (20-7-64) Purifying salt solutions.
- 94781 (20-7-64) Melt blending of particle-form and solution produced polyolefins.
- 94796 (1-8-63) Process of cross linking polymers.
- 94801 (21-7-64) Process for the manufacture of water-insoluble azo dyestuffs.
- 94839 (24-7-64) Process for recovering petroleum utilizing soluble oils.
- 94840 (24-7-64) Process for recovering petroleum utilizing emulsions,
- 94842 (24-7-64) Process for reducing ore containing one or more of the oxides of chromium, manganese and iron.
- 94887 (27-7-64) Siloxane-polyol compositions and process therefor,
- 94893 (27-7-64) Process for the isomerization of light normal paraffins.
- 94896 (27-7-64) Expansive and shrinkage compensated cement composition and method of making the same.
- 94902 (28-7-64) Dispersants for use in dispersions of liquid or solid particles in organic medium and process for preparing the same.
- 94904 (28-7-64) Method of making catalyst and polymerisation process,
- 94941 (29-7-64) Process of producing blackheart type malleable iron and products produced thereby.
- 94952 (29-7-64) A process for blending rubbers.
- 94982 (31-7-64) Improvements in the manufacture of cast irons.
- 94997 (1-8-64) Process for obtaining tamarind seed jellose.
- 94998 (1-8-64) (1-8-64) Process for preparing alpha-olefin polymers.
- 95000 (12-8-63) Pigment compositions and their process of manufacture.
- 95007 (3-8-64) Improved process for electrodeposition of zinc from an alkaline pyrophosphate solution.
- 95010 (10-6-64) Butyl rubber compositions and a process for vulcanising them.
- 95023 (3-8-64) Metalliferous disazo-dyestuffs and process for preparing them.
- 95024 (3-8-64) Anthraquinone dyestuff and process for preparing it.
- 95026 (3-8-64) A process for the manufacture of gammabenzene hexachloride and a residue having insecticidal properties from technical benzene nexachloride,
- 95042 (4-8-64) Process for the manufacture of copper phthalocyanine pigments.

Title of the invention

Title of the invention No.

- 95043 (4-8-64) Process for the preparation of vat brown dyestuffs.
- 95054 (4-8-64) Process for treating pentachlorophenol,
- 95101 (10-8-63) Improvements in the manufacture of moculants for cast irons.
- 95103 (7-8-64) Pesticidal preparations.
- 95137 (11-8-64) Method of producing nodular iron.
- 95148 (11-8-64) Linear segmented copolymers of the Spandex (segmented polyurethane) type and method of preparation thereof.
- manufacture of finely 95149 (11-8-64) Process for the divided insoluble and infusible solid resin powders of larger inner surface.
- 95150 (11-8-64) A process for the manufacture of rubber mixtures.
- 95185 (13-8-64) Novel pesticidal compositions.
- 95198 (29-5-64) Process for the preparation of a gelatine-silver dispersion for anti-halo or hfite filter layers.
- 95209 (14-8-64) Process for the production of cyclic monohydroxymethyl compounds.
- 95252 (28-8-63) Refining of metals and alloys.
- 95266 (20-8-64) Process for optically brightening organic materials such as lacquers, fibres, films, and the like, whitening of which is desirable.
- 95311 (24-8-64) Process for the manufacture of 4-amino-3nitroazobenzenes.
- 95312 (24-8-64) Process for the manufacture of 1-amino-2benzoyl-4-hydroxyanthraquinones,
- 95314 (24-8-64) Copolymerizaton of ∞-alkylenaryl ethers wth α -olefins.
- 95318 (24-8-64) Manufacture of anthraquinone dyestuffs.
- 95370 (26-8-64) Method of manufacturing refractory materials containing carbon and bound with an organic substance.
- 95406 (28-8-64) Manufacture of water-insoluble disazodyestuffs.
- 95411 (29-8-64) Process for the preparation of a petroleum distillate with an improved smoke point.
- 95424 (31-8-64) A process for preparing thermoplastic compositions.
- 95425 (31-8-64) Improvements in or relating to the electro-chemical regeneration of chromic acid for the oxidation of organic compounds in particular to pnitro-toluene.
- 95430 (6-9-63) Preparation of fertilizer compositions.
- 95432 (19-9-63) Improvements in and relating to continuous vulcanization.
- 95440 (31-8-64) Disproportionation of aliphatic monooleflus.
- 95454 (1-9-64) An improved method for the oxidation of starches and other polysaccharides.
- 95468 (1-9-64) Method of preparing a machinable heat resistant thermosetting resin of a siloxane condensation product,
- 95512 (3-9-64) Manufacture of water-insoluble azo-dyestuffs.
- 95524 (4-9-64) Process, apparatus and installation for obtaining sulfuric acid.

- No.
- 95533 (5-9-64) Process for the manufacture of pigment preparations.
- 95550 (7-9-64) Process for the preparation of isomers of bis (4-aminocyclohexyl) mathane.
- 95551 (7-9-64) Method of recovering vinyl acetate from a mixture of vinyl acetate and methanol.
- 95561 (8-9-64) New fibre reactive phthalocyanine dyestuffs, their manufacture and dyeing textile materials with said dyestuffs,
- 95567 (8-9-64) Process for blending powdery materials by circulating method and a device for carrying out the same.
- 95571 (8-9-64) Process and apparatus for splitting hydrocarbons in an electric arc for recovering products such as acetylene, ethylene and methane.
- 95574 (8-9-64) A process for preparing grease composition.
- 95575 (8-9-64) Polymerisable monomers containing phorus, their polymerization products, process for the manufacture of these compounds and their application.
- 95584 (30-9-63) Production of zinc.
- 95587 (9-9-64) Process for removing sulphur-containing conlaminants from chlorine,
- 95592 (9-9-64) A process for producing fish meals.
- 95610 (11-9-64) Neutralization composition and process for neutralization of a olefin polymer deashing
- 95613 (11-9-64) A process for the preparation of alpha-chloro beta-oxo fatty acid amides.
- 95621 (11-9-64) Dyeing of styrene polymers,
- 95636 (14-9-64) Water-soluble metalliferous monoazo stuffs and process for preparing them,
- 95661 (15-9-64) Method for making wood pulp-plastic compositions and moulded bodies therefrom,
- 95669 (15-9-64) A process for the production of polyurethane fourn.
- 95693 (18-9-63) Improvements in or relating to hydrogen peroxide.
- 95758 (22-9-64) Novel blue and green disperse dyes, process for their manufacture, and dyeing with such
- 95759 (22-9-64) Process for the preparation of 6-ionone.
- 95769 (23-9-64) Process for the production of hard-burnt pellets having good abrasive strength,
- 95798 (26-9-64) Improvements in method and plant for obtaining dry gas or air.
- 95807 (4-10-63) Herbicidal compositions,
- 95811 (26-9-64) Method of producing diamond from another form of carbon,
- 95820 (28-9-64) Method and device for separation of a suspension.
- 95821 (28-9-64) Method and device for pressurised water treatment.
- 95843 (29-9-64) Process for the production of benzazolyl mercaptoanthraquinones.
- 95870 (30-9-64) Purification of cthylenically unsaturated sulfonated monomers.
- 95875 (30-9-64) Improvements in the segregation process.

				
No.	Title	οf	the	invention,

- 95895 (3-10-64) A process for the manufacture of dicalcium phosphate and mono or diammonium or mono or dialkali phosphates from natural rock phosphates.
- 95912 (3-10-64) Process for the manufacture of aniline and other primary monoamino mononuclear aromatic compounds.
- 95917 (5-10-64) Method of preparing an oil-in-water asphalt emulsion.
- 95927 (5-10-64) A method and apparatus for mixing slurry explosives.
- 95950 (24-10-63) Process for the preparation of 1-(4- halophenyl)-1-(4-halophenyl) 2-2 dichlorocyclopropanes and compositions containing the same.

Renewal Fees Pald

```
63064 63620 63634 63825 63839 63978 64010 64042 64212
66959 67195 67206 67236 67238 67244 67249 67273 67276
67277 67296 67407 67435 67538 67601 68582 69391 70980
71116 71261 71316 71355 71364 71372 71380 71400 71408
71467 71481 71519 71530 71595 71609 71677 71812 71821
71860 71868 71993 71994 72178 72749 72770 75959 75979
76116 76123 76140 76277 76279 76282 76312 76373 76385
76425 76505 76510 76511 76572 76697 76931 81225 81614
81627 81630 81716 81747 81749 81900 81904 81947 81983
82339 82340 82606 83077 86127 86370 87146 87245 87349
87398 87428 87537 87556 87564 87835 87916 88019 88090
88211 88696 88863 91951 92753 92797 92937 92979 93085
93086 93242 93301 93307 93341 93357 93368 93373 93401
93410 93419 9472 93474 93632 93680 94006 94230 94437
97766 97767 97768 97811 98288 98639 98647 98653 98726
98760 98782 98783 98784 98795 98796 98808 98816 98818
98823 98943 98953 98955 98986 99020 99069 99078 99203
99216 99226 99240 99591 99689 99733 99827 99878 100676
100786 101119 101306 103454 104540 104661 104675 104721
104741 104742 104756 104788 104855 104887 104899 104938
104947 104954 104970 105066 105162 105457 105477 105707
106181 106815 109951 110006 110030 110031 110033 110061
110110 110116 110154 110176 110271 110303 110331 110409
110440 110441 110467 110536 110604 110704 110713 110716
110727 110753 110842 1/10900 111323 111826 111950 112349
113928 114315 114461 114741 115233 115245 115250 115257
115259 115260 115261 115278 115302 115347 115353 115403
115408 115476 115519 115522 115537 115553 115797 115879
115936 115937 '115940 115988 116103 116302 116311 116396
116430 116436 119457 120145 120369 120458 120541 120584
120585 120605 120622 120625 120626 120633 120634 120644
120667 120669 120670 120671 120687 120688 120689 120695
120696 120699 120713 120714 120722 120778 120779 120780
120781 120782 120815 120817 120845 120852 120860 120924
120930 120936 121035 121047 121089 121100 121106 121164
121165 121250 121253 121279 121280 121319 121326 121335
121368 121483 121490 121519 121558 121680 121744 122374
122595 122596 122858 122946 124226 124663 125961 125999
126050 126051 126061 126075 126142 126143 126374 126827
128029 129674 130904
```

Cessation of Patents

```
84480 97256 97259 97260 97261 97264 97265 97268 97269 97272 97274 97275 97276 97277 97278 97283 97285 97287 97291 97292 97296 97298 97300 97301 97303 97307 97311
```

Registration of Designs

The following designs have been registered. They are not open to inspection for a period of two years from the date of registration except as provided for in Section 50 of the India's Patents and Designs Act.

The dates shown in each entry is the date of registration of the design including in the entry.

NΠ

Copyright Extended for a Second period of Five Years

Design Nos. 134949, 132227, 132228 and 133240 Class—1. Design Nos. 132314, 132242, 130563, 130675 Class—3.

Design Nos. 132176 and 132177 Class-4.

Design No. 139049, Class-111,

Copyright extended for a Third period of Five Years

Design No. 134949. Class-1.

Design Nos. 130563, 130675, 116874. Class-3.

Design No. 139049, Class-11.

S. VEDARAMAN

Controller General of Patents, Designs and Trade Marks.

6	